



ATOPIC DERMATITIS

Therapies Should Be Dosed and Applied Correctly



FTU = amount of ointment expressed from a tube with a “standard” size nozzle (5 mm diameter) measured from the last skin crease to the tip of an adult’s index finger.

1 FTU = adequate amount of ointment for thin and even application to an area of skin equal to “2 adult hands” (fingers together)



Entire face & neck	Entire arm & hand	Entire leg & foot	Entire chest & abdomen	Entire back including buttocks	Whole body (grams)	Age Group
1	1	1.5	1	1.5	~8 (4.0)	3-12 months
1.5	1.5	2	2	3	~14 (7.0)	1-2 years
1.5	2	3	3	3.5	~18 (9.0)	3-5 years
2	2.5	4.5	3.5	5	~25 (12.5)	6-12 years
2.5	3	6	16	24	~40 (20.0)	12 years and older



One hand with fingers (front & back)



One foot

1

2

References

- Bulat V et al. *Coll Antropol.* 2011;35(suppl 2):147-151.
- Boguniewicz M et al. *Ann Allergy Asthma Immunol.* 2018;120:10-22.
- Czarnowicki T et al. *J Allergy Clin Immunol.* 2019;143:1-11.
- DermNet NZ website. <https://www.dermnetnz.org/topics/fingertip-unit/>. Accessed July 3, 2019.
- Eichenfield LF et al. *J Am Acad Dermatol.* 2014;71:116-132.
- Eurisa (crisaborole ointment) prescribing information. New York, NY: Pfizer Inc; 2018.
- Eichenfield LF et al. *J Am Acad Dermatol.* 2014;71: 327-349.
- Eichenfield LF et al. *Pediatrics.* 2015;136:554-565.
- Gooderham MJ et al. *J Am Acad Dermatol.* 2018;78(3 suppl 1):S28-S36.
- Henderson R. Patient Platform Limited website. <https://patient.info/treatment-medication/steroids/fingertip-units-for-topical-steroids>. Accessed July 3, 2019
- Van Zuuren EJ et al. *Cochrane Database Syst Rev.* 2017;2:CD012119.
- Weidinger S et al. *Nat Rev Dis Primers.* 2018 2018;4:1.
- The Pharmaceutical Journal.* <https://www.pharmaceutical-journal.com/news-and-analysis/features/atopic-dermatitis-dupilumab-and-crisaborole-could-herald-a-new-era-in-treatment/20202337.article?firstPass=false>. Accessed July 25, 2019.